



a xylem brand

**YSI Safety Data Sheet (SDS)**  
OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**1 Identification**

- **Product identifier**
- **Trade name: Fluoride ISE Ionic Strength Adjuster Solution**
- **Product number: 400408**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product description: Total Ionic Strength Adjustment Buffer (TISAB)**
- **Application of the substance / the mixture** Buffers, Filling & Calibration Solutions
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
1725 Brannum Lane  
Yellow Springs, OH 45387  
Phone: (937) 767-7241  
Email: MSDSinfo@ysi.com website: ysi.com
- **Emergency Contact information:** Chemtrec: (US & Canada) 800-424-9300; (International) 001 703-527-3887

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements**
- **GHS label elements** Non-Regulated Material
- **Hazard pictograms** Non-Regulated Material
- **Signal word** Non-Regulated Material
- **Hazard statements** Non-Regulated Material
- **Unknown acute toxicity:**  
5.8 percent of the mixture consists of ingredient(s) of unknown toxicity.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None known

**3 Composition/information on ingredients**

7732-18-5	water, distilled water, deionized water	≥85%
-----------	---	------

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous Components:**

CAS: 127-09-3	sodium acetate	5-10%
	⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2B, H320	

(Contd. on page 2)

**YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**Trade name: Fluoride ISE Ionic Strength Adjuster Solution**

CAS: 7647-14-5	Sodium Chloride ⚠ STOT SE 3, H335	2-12%
CAS: 64-19-7 RTECS: AF 1225000	Acetic Acid ⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1A, H314	≤ 2.5%

**\* 4 First-aid measures**

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
If skin irritation occurs, consult a doctor.  
Rinse with warm water.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
If eye irritation occurs, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

**\* 6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.

(Contd. on page 3)

**YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**Trade name: Fluoride ISE Ionic Strength Adjuster Solution**

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

\* **8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**  
All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· **Components with occupational exposure limits:****64-19-7 Acetic Acid**

PEL	Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
REL	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
TLV	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Not required.
- **Material of gloves** Not required.
- **Penetration time of glove material** Not applicable.
- **Eye protection:**



Goggles recommended during refilling.

\* **9 Physical and chemical properties**

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Liquid
  - Color:** Clear, colorless
  - Odor:** Odorless
  - Odor threshold:** Not determined.
- **pH-value @ 20 °C (68 °F):** < 5
- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:** 100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 4)

**YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**Trade name: Fluoride ISE Ionic Strength Adjuster Solution**

- **Ignition temperature:**
  - **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - **Lower:** 0.0 Vol %
  - **Upper:** 0.0 Vol %
- **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17 mm Hg)
- **Density @ 20 °C (68 °F):** 1.058 g/cm<sup>3</sup> (8.829 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - **Dynamic:** Not determined.
  - **Kinematic:** Not determined.
- **Solvent content:**
  - **Organic solvents:** < 2.5 %
  - **Water:** > 85 %
  - **VOC content:** < 2.5 %
- **Solids content:** 10-20 %
- **Other information:** No further relevant information available.

**\* 10 Stability and reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** Strong bases, strong oxidizing agents, Carbonates, Phosphates, metals, Amines and Alcohols.
- **Hazardous decomposition products:** Sodium Oxides and Nitrogen Oxides (NOx).

**\* 11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

**· LD/LC50 values that are relevant for classification:**

<b>127-09-3 sodium acetate</b>		
Oral	LD50	3530 mg/kg (rat)
<b>7647-14-5 Sodium Chloride</b>		
Oral	LD50	3000 mg/kg (rat)

(Contd. on page 5)

**YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**Trade name: Fluoride ISE Ionic Strength Adjuster Solution**

Dermal	LD50	>10000 mg/kg (rabbit)
<b>64-19-7 Acetic Acid</b>		
Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1112 mg/kg (rabbit)
Inhalative	LC50/4 h	11.4 mg/l (rat)
	LC50/96 hours	>1000 mg/l (Trout)

- **Primary irritant effect:**

- **on the skin:** No irritating effect.

- **on the eye:** No irritating effect.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

- **NTP (National Toxicology Program)**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## \* 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

**7647-14-5 Sodium Chloride**

EC50 1661 mg/l (Water flea)

**64-19-7 Acetic Acid**

EC50 >300.82 mg/l (Water flea)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:** Not known to be hazardous to water.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

(Contd. on page 6)

**YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**Trade name: Fluoride ISE Ionic Strength Adjuster Solution****\* 13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.  
Small quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:**  
Dispose of as unused product.  
Disposal must be made according to official regulations.

**\* 14 Transport information**

- **UN-Number**
- **DOT, ADN, IMDG, IATA** Non-Regulated Material
- **ADR** Non-Regulated Material  
Not Regulated
- **UN proper shipping name**
- **DOT, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Non-Regulated Material
- **Packing group**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

**· Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**· California Proposition 65****· Chemicals known to cause cancer:**

None of the ingredients are listed.

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

(Contd. on page 7)

**YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

**Trade name: Fluoride ISE Ionic Strength Adjuster Solution**

· <b>Chemicals known to cause developmental toxicity:</b>		
None of the ingredients are listed.		
· <b>Carcinogenic categories</b>		
· <b>EPA (Environmental Protection Agency)</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH)</b>		
None of the ingredients are listed.		
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
None of the ingredients are listed.		
· <b>GHS label elements</b> Non-Regulated Material		
· <b>Hazard pictograms</b> Non-Regulated Material		
· <b>Signal word</b> Non-Regulated Material		
· <b>Hazard statements</b> Non-Regulated Material		
· <b>National regulations:</b>		
The product is subject to be classified according with the latest version of the regulations on hazardous substances.		
· <b>State Right to Know</b>		
CAS: 7732-18-5	water, distilled water, deionized water	≥85%
CAS: 127-09-3	sodium acetate ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2B, H320	5-10%
CAS: 7647-14-5	Sodium Chloride ⚠ STOT SE 3, H335	2-12%
CAS: 64-19-7 RTECS: AF 1225000	Acetic Acid ⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1A, H314	≤ 2.5%
All ingredients are listed.		
· <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.		

**16 Other information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision** 06/03/2015 / -

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 Flam. Liq. 3: Flammable liquids, Hazard Category 3

(Contd. on page 8)

## **YSI Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/03/2015

Reviewed on 06/03/2015

### **Trade name: Fluoride ISE Ionic Strength Adjuster Solution**

Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· **\* Data compared to the previous version altered.**

YSI sells this product under agreement with the original manufacturer. YSI assumes no legal liability or responsibility for the accuracy, completeness or usefulness of any information set forth in this MSDS.